


Classic Series



Snake Mini



white



gold metallic



black matt



silver metallic

Dimensions (Height × Width × Depth), mm: 359 × 505 × 75

Power (at 220V~): 43 W

Available Colors:

- White
- Black Semi-matt
- Black metallic
- Silver metallic
- Gold metallic

Control:


On/Off button switch

Power mode selector "Winter-Summer"

Snake



black matt



silver metallic



white



gold metallic

Dimensions (Height × Width × Depth), mm: 511 × 520 × 75

Power (at 220V~): 60 W

Available Colors:


- White
- Black Semi-matt
- Black metallic
- Silver metallic
- Gold metallic

Control:

On/Off button switch

Power mode selector "Winter-Summer"

Eurosnake



Dimensions (Height × Width × Depth), mm: 509 × 610 × 75

Power (at 220V~): 71 W

Available Colors:


- White
- Black Semi-matt
- Black metallic
- Silver metallic
- Gold metallic

Control:

On/Off button switch

Power mode selector "Winter-Summer"

Ego Snake



silver metallic

white

gold metallic

black matt

Dimensions (Height × Width × Depth), mm: 522 × 612 × 75

Power (at 220V~): 60 W

Available Colors:



- White
- Black Semi-matt
- Black metallic
- Silver metallic
- Gold metallic

Control:

On/Off button switch

Power mode selector "Winter-Summer"

Optima



Dimensions (Height × Width × Depth), mm: 815 × 475 × 75

Power (at 220V~): 109 W

Available Colors:



- White
- Black Semi-matt
- Black metallic
- Silver metallic
- Gold metallic

Control:

On/Off button switch

Power mode selector "Winter-Summer"

Python



Dimensions (Height × Width × Depth), mm: 1423 × 475 × 75

Power (at 220V~): 146 W

Available Colors:

- White
- Black Semi-matt
- Black metallic
- Silver metallic
- Gold metallic

Control:


On/Off button switch

Power mode selector "Winter-Summer"

Stair



white



black matt



silver metallic



gold metallic



Dimensions (Height × Width × Depth), mm: 495 × 460 × 145

Power (at 220V~): 68 W

Available Colors:

- White
- Black Semi-matt
- Black metallic
- Silver metallic
- Gold metallic

Control:


On/Off button switch

Power mode selector "Winter-Summer"

Oval



black matt



gold metallic



white



silver metallic



Dimensions (Height × Width × Depth), mm: 495 × 535 × 145

Power (at 220V~): 68 W

Available Colors:


- White
- Black Semi-matt
- Black metallic
- Silver metallic
- Gold metallic

Control:


On/Off button switch

Power mode selector "Winter-Summer"

Slim



black matt



white

gold metallic

silver metallic

Dimensions (Height × Width × Depth), mm: 710 × 360 × 145

Power (at 220V~): 87 W

Available Colors:

- White
- Black Semi-matt
- Black metallic
- Silver metallic
- Gold metallic

Control:


On/Off button switch

Power mode selector "Winter-Summer"

Stair 45



silver metallic



black matt



white



gold metallic



Dimensions (Height × Width × Depth), mm: 495 × 465 × 145

Power (at 220V~): 68 W

Available Colors:


- White
- Black Semi-matt
- Black metallic
- Silver metallic
- Gold metallic

Control:

On/Off button switch

Power mode selector "Winter-Summer"

Stair Plus



white

Dimensions (Height × Width × Depth), mm: 710 × 460 × 145

Power (at 220V~): 109 W

Available Colors:

- White
- Black Semi-matt
- Black metallic
- Silver metallic
- Gold metallic

Control:

On/Off button switch

Power mode selector "Winter-Summer"

black matt

silver metallic


gold metallic



Stair Plus 45



black matt



Dimensions (Height × Width × Depth), mm: 710 × 465 × 145

Power (at 220V~): 109 W

Available Colors:

- White
- Black Semi-matt
- Black metallic
- Silver metallic
- Gold metallic

Control:

On/Off button switch

Power mode selector "Winter-Summer"

gold metallic




white



silver metallic



Ladder



black matt

silver metallic

white

gold metallic

Dimensions (Height × Width × Depth), mm: 710 × 535 × 75

Power (at 220V~): 109 W

Available Colors:


- White
- Black Semi-matt
- Black metallic
- Silver metallic
- Gold metallic

Control:

On/Off button switch

Power mode selector "Winter-Summer"

Oval Plus



Dimensions (Height × Width × Depth), mm: 710 × 535 × 145

Power (at 220V~): 109 W

Available Colors:

- White
- Black Semi-matt
- Black metallic
- Silver metallic
- Gold metallic

Control:


On/Off button switch

Power mode selector "Winter-Summer"

Eurotraptic



silver metallic



black matt



white



gold metallic

Dimensions (Height × Width × Depth), mm: 710 × 535 × 145

Power (at 220V~): 109 W

Available Colors:


- White
- Black Semi-matt
- Black metallic
- Silver metallic
- Gold metallic

Control:

On/Off button switch

Power mode selector "Winter-Summer"

Olivia



black matt

white

silver metallic

gold metallic

Dimensions (Height × Width × Depth), mm: 1045 × 535 × 145

Power (at 220V~): 161 W

Available Colors:


- White
- Black Semi-matt
- Black metallic
- Silver metallic
- Gold metallic

Control:

On/Off button switch

Power mode selector "Winter-Summer"

Premiere



Dimensions (Height × Width × Depth), mm: 1395 × 535 × 145

Power (at 220V~): 214 W

Available Colors:

- White
- Black Semi-matt
- Black metallic
- Silver metallic
- Gold metallic

Control:


On/Off button switch

Power mode selector "Winter-Summer"

Comfort Base Series



Comfort Base S



white

silver metallic

black matt

gold metallic

Dimensions (Height × Width × Depth), mm:

Comfort S.1 – 495 × 435 × 145

Comfort S.2 – 495 × 535 × 145

Nominal Power (at 220V~):

Comfort S.1 – 63 W

Comfort S.2 – 75 W

Available Colors:


- White
- Black Semi-matt
- Black metallic
- Silver metallic
- Gold metallic

Control:

On/Off button switch

Power mode selector "Winter-Summer"

Comfort Base N



Dimensions (Height × Width × Depth), mm:

Comfort N-8.1 – 710 × 435 × 145

Comfort N-8.2 – 710 × 535 × 145

Nominal Power (at 220V~):

Comfort N-8.1 – 95 W

Comfort N-8.2 – 114 W

Available Colors:

- White
- Black Semi-matt
- Black metallic
- Silver metallic
- Gold metallic

Control:

On/Off button switch

Power mode selector "Winter-Summer"



white



silver metallic




black matt



gold metallic

Comfort Base P



Dimensions (Height × Width × Depth), mm:

Comfort P.1 – 710 × 435 × 220

Comfort P.2 – 710 × 535 × 220

Nominal Power (at 220V~):

Comfort PR-8.1 – 98 W

Comfort PR-8.2 – 117 W

Available Colors:

- White
- Black Semi-matt
- Black metallic
- Silver metallic
- Gold metallic

Control:

On/Off button switch

Power mode selector "Winter-Summer"

white

black matt

silver metallic


gold metallic

Control

Button Switch «On/Off»

The device can operate in one of two modes:

- On mode – the device is operating
- Off mode – the device is turned off



Mode «Off»

Mode «On»


Power Mode Selector «Winter–Summer»

The device can operate in one of three modes:

- «Off» mode – the device is turned off
- «Summer» mode – the device operates at approximately 50% of full power.

This mode is an experimental balance between comfortable use and energy saving

- «Winter» mode – the device operates at full power



Mode «Off»

Mode «Summer»

Mode «Winter»

Membrane technology for moisture protection. Protection level: IP44

SKUs. Classic Series

Model	Dimensions (H×W×D), mm	Power, W (at 220V~)	SKU
Snake Mini**	359x505x75	43	206PR.C
Snake**	511x520x75	60	105PR.C
Ego Snake**	522x612x75	60	303PR.C
Euro Snake**	509x610x75	71	302PR.C
Optima**	815x475x75	109	204PR.C
Python	1423x475x75	146	205PR.C
Oval	495x535x145	68	203PR.C
Stair	495x460x145	68	201PR.C
Stair 45	495x465x145	68	202PR.C
Slim	710x360x145	87	106PR.C
Stair Plus	710x460x145	109	104PR.C
Stair Plus 45	710x465x145	109	301PR.C
Ladder	710x535x75	109	101PR.C
Oval Plus	710x535x145	109	102PR.C
Eurotropic	710x535x145	109	103PR.C
Olivia	1045x535x145	161	108PR.C
Premiere	1395x535x145	214	107PR.C

* SKU = Product Code + Configuration Code: SKU = Product Code + PR.C

Each symbol (letter) in the configuration code defines a specific product option. Below are the values for each option that need clarification when ordering:

P = 1 – left position of the power cord

P = 2 – right position of the power cord

R = "" – if this value is absent, it means control is via button switch «On/Off»

R = R – control via «Winter/Summer» power mode selector

C = "" – if this value is absent, the product is painted in the base color – white gloss (RAL 9016)

C = b – color: black matt

C = s – color: silver metallic

C = g – color: gold metallic

C = bm – color: black metallic

Examples:

- If you need to order the «Ladder» model in white color with right power cord position and button switch control:

SKU: 1012

- If you need to order the «Ladder» model in black matt color with left power cord position and «Winter/Summer» power mode selector:

SKU: 1011R.b

** All dimensions, including overall, connection, and specified clarifications shown in this table and product cards, may vary by up to 5% due to the elastic-plastic properties of metal rolling. This should be considered when marking mounting holes, meaning marking should be done according to actual product dimensions.

SKUs. Comfort Base Series

Model	Dimensions (H×W×D), mm	Power, W (at 220V~)	SKU
Comfort S.1 / S.2	495x435 / 535x145	63 / 75	401P.MR.C
Comfort N.1 / N.2	710x435 / 535x145	95 / 114	402P.MR.C
Comfort P.1 / P.2	710x435 / 535x220	98 / 117	403P.MR.C

* SKU = Product Code + Configuration Code: SKU = Product Code + P.M.R.C

Each symbol (letter) in the configuration code defines a specific product option. Below are the values for each option that need clarification when ordering:

P = 1 – left position of the power cord

P = 2 – right position of the power cord

M = 1 – overall width 435 mm

M = 2 – overall width 535 mm

R = "" – if this value is absent, control is via button switch «On/Off»

R = R – control via «Winter/Summer» power mode selector

C = "" – if this value is absent, the product is painted in the base color – white gloss (RAL 9016)

C = b – color: black matt

C = s – color: silver metallic

C = g – color: gold metallic

C = bm – color: black metallic

Examples:

If you need to order the «Comfort N» model in white color, with right power cord position, 435 mm width, and button switch control:

SKU: 4022.1

If you need to order the «Comfort N» model in silver metallic color, with left power cord position, 535 mm width, and «Winter/Summer» power mode selector:

SKU: 4021.2.R.s


Melody Series





black matt

Melody ER-M



black matt



white



silver metallic


Available Colors:

- White
- Black Matt
- Silver Metallic


Control:

- Touch microcontroller control for surface temperature and shutdown timer.

Available Sizes:




Connection:



Technical Data (mm):

L	M	K	B		
699 (1)	300 (3)	270	373,5	100	3,9
699 (1)	400 (4)	370	373,5	133	4,6
699 (1)	500 (5)	470	373,5	166	5,2
914 (2)	300 (3)	270	588,5	135	5,0
914 (2)	400 (4)	370	588,5	179	5,8
914 (2)	500 (5)	470	588,5	221	6,7
1129 (3)	300 (3)	270	803,5	170	6,1
1129 (3)	400 (4)	370	803,5	223	7,1
1129 (3)	500 (5)	470	803,5	278	8,1



Concealed Mounting:





silver metallic

Melody ER-S



white



black matt



silver metallic


Available Colors:

- White
- Black Matt
- Silver Metallic


Control:

- Touch microcontroller control for surface temperature and shutdown timer.

Available Sizes:




Connection:




Technical Data (mm):

L	M	K	B		
744 (1)	300 (3)	270	457	129	4,2
744 (1)	400 (4)	370	457	174	5,0
744 (1)	500 (5)	470	457	215	5,8
911 (2)	300 (3)	270	624	163	5,1
911 (2)	400 (4)	370	624	215	6,1
911 (2)	500 (5)	470	624	271	7,1
1078 (3)	300 (3)	270	791	193	5,9
1078 (3)	400 (4)	370	791	260	7,1
1078 (3)	500 (5)	470	791	326	8,4


Concealed Mounting:




Available Sizes:



Connection:



Concealed Mounting:




Technical Data (mm):

L	M	K	B	D		
735 (1)	300 (3)	270	460	87	101	3,7
735 (1)	400 (4)	370	460	87	135	4,3
735 (1)	500 (5)	470	460	87	168	4,9
914 (2)	300 (3)	270	579	146	135	4,6
914 (2)	400 (4)	370	579	146	179	5,4
914 (2)	500 (5)	470	579	146	221	6,2
1092 (3)	300 (3)	270	757,5	146	169	5,5
1092 (3)	400 (4)	370	757,5	146	221	6,5
1092 (3)	500 (5)	470	757,5	146	277	7,5



Melody LR-M



Available Colors:

- White
- Black Matt
- Silver Metallic


Control:

- Touch microcontroller control for surface temperature and shutdown timer.



black matt

Melody LR-S



silver metallic



black matt



white


Available Colors:

- White
- Black Matt
- Silver Metallic


Control:

- Touch microcontroller control for surface temperature and shutdown timer.

Available Sizes:




Connection:




Technical Data (mm):


L	M	K	B		
735 (1)	300 (3)	270	444	129	4,2
735 (1)	400 (4)	370	444	173	5,0
735 (1)	500 (5)	470	444	215	5,8
912 (2)	300 (3)	270	621	163	5,1
912 (2)	400 (4)	370	621	215	6,1
912 (2)	500 (5)	470	621	271	7,1
1089 (3)	300 (3)	270	798	194	5,9
1089 (3)	400 (4)	370	798	260	7,2
1089 (3)	500 (5)	470	798	326	8,4

Concealed Mounting:





Melody FR-S




Available Colors:

- White
- Black Matt
- Silver Metallic


Control:

- Touch microcontroller control for surface temperature and shutdown timer.


Available Sizes:



Connection:



Concealed Mounting:




Technical Data (mm):

L	M	K	B		
724 (1)	300 (3)	270	427,5	111	4,2
724 (1)	400 (4)	370	427,5	147	4,9
724 (1)	500 (5)	470	427,5	184	5,6
914 (2)	300 (3)	270	617,5	154	5,3
914 (2)	400 (4)	370	617,5	203	6,3
914 (2)	500 (5)	470	617,5	254	7,3
1104 (3)	300 (3)	270	807,5	194	6,5
1104 (3)	400 (4)	370	807,5	261	7,7
1104 (3)	500 (5)	470	807,5	327	9,0



Melody TR-S




Available Colors:

- White
- Black Matt
- Silver Metallic


Control:

- Touch microcontroller control for surface temperature and shutdown timer.

Available Sizes:




Connection:



Technical Data (mm):

L	M	K	B	D		
699 (1)	300 (3)	240	432	114	71	3,1
699 (1)	400 (4)	340	432	114	93	3,5
699 (1)	500 (5)	440	432	114	115	4,0
914 (2)	300 (3)	240	648	113	97	3,9
914 (2)	400 (4)	340	648	113	127	4,5
914 (2)	500 (5)	440	648	113	156	5,0
1129 (3)	300 (3)	240	864	112	123	4,7
1129 (3)	400 (4)	340	864	112	160	5,4
1129 (3)	500 (5)	440	864	112	197	6,1

Concealed Mounting:




black matt



silver m-c





white



black matt



Melody SR-S




Available Colors:

- White
- Black Matt
- Silver Metallic


Control:

- Touch microcontroller control for surface temperature and shutdown timer.

Available Sizes:




Connection:



Technical Data (mm):


L	M	K	B	C	D	E		
699 (1)	200 (2)	170	354	126	152	147	66	2,8
699 (1)	300 (3)	270	354	126	152	147	88	3,2
914 (2)	200 (2)	170	596	112	139	119	92	3,5
914 (2)	300 (3)	270	596	112	139	119	125	4,2
1129 (3)	200 (2)	170	822	106	134	107	119	4,3
1129 (3)	300 (3)	270	822	106	134	107	163	5,1

Concealed Mounting:








Melody WR-S



silver metallic

black matt

white




Available Colors:

- White
- Black Matt
- Silver Metallic


Control:

- Touch microcontroller control for surface temperature and shutdown timer.

Available Sizes:




Connection:



Technical Data (mm):


M	K		
740	680	163	4,5
910	850	200	5,2
1130	1070	246	6,1

Concealed Mounting:




Interio Series





Interio LR



Dimensions (Height × Width × Depth) mm:

Interio LR.1 – (707 × 435 × 75)

Interio LR.2 – (707 × 535 × 75)

Nominal Power (at 220V~):

Interio LR.1 – 130±5 W

Interio LR.2 – 161±5 W

Available Colors:

- White
- Black matt
- Silver metallic
- Gold metallic

Control:


Touch microcontroller control for surface temperature and shutdown timer.





black matt

Interio ER



Dimensions (Height × Width × Depth) mm:

Interio ER.1 – (820 × 435 × 75)

Interio ER.2 – (820 × 535 × 75)

Nominal Power (at 220V~):

Interio ER.1 – 133±5 W

Interio ER.2 – 164±5 W

Available Colors:

White

Black matt

Silver metallic

Gold metallic

Control:

Touch microcontroller control for surface temperature and shutdown timer.





black matt



silver metallic




white



gold metallic

Interio BR



Dimensions (Height × Width × Depth) mm:

Interio BR.1 – (707 × 435 × 145)

Interio BR.2 – (707 × 535 × 145)

Nominal Power (at 220V~):

Interio BR.1 – 137±5 W

Interio BR.2 – 168±5 W

Available Colors:

- White
- Black matt
- Silver metallic
- Gold metallic


Control:

Touch microcontroller control for surface temperature and shutdown timer.



silver metallic

Interio CR



Dimensions (Height × Width × Depth) mm:

Interio CR.1 – (820 × 435 × 145)

Interio CR.2 – (820 × 535 × 145)

Nominal Power (at 220V~):

Interio CR.1 – 140±5 W

Interio CR.2 – 171±5 W

Available Colors:

- White
- Black matt
- Silver metallic
- Gold metallic

Control:

Touch microcontroller control for surface temperature and shutdown timer.



gold metallic



white




black matt



gold metallic



silver metallic




white



black matt

Interio HR



Dimensions (Height × Width × Depth) mm:

Interio HR.1 – (707 × 435 × 145)

Interio HR.2 – (707 × 535 × 145)

Nominal Power (at 220V~):

Interio HR.1 – 149±5 W

Interio HR.2 – 180±5 W

Available Colors:

- White
- Black matt
- Silver metallic
- Gold metallic

Control:


Touch microcontroller control for surface temperature and shutdown timer.

Comfort Control Series





Interio VR



Dimensions (Height × Width × Depth) mm:

Interio VR.1 – (820 × 435 × 145)

Interio VR.2 – (820 × 535 × 145)

Nominal Power (at 220V~):

Interio VR.1 – 147±5 W

Interio VR.2 – 178±5 W

Available Colors:

- White
- Black matt
- Silver metallic
- Gold metallic

Control:


Touch microcontroller control for surface temperature and shutdown timer.





silver metallic

Comfort NR-8



Dimensions (Height × Width × Depth) mm:

Komfort NR-8.1 – (740 × 435 × 145)

Komfort NR-8.2 – (740 × 535 × 145)

Nominal Power (at 220V~):

Komfort NR-8.1 – 104±5 W

Komfort NR-8.2 – 125±5 W

Available Colors:

- White
- Black matt
- Silver metallic
- Gold metallic

Control:

Touch microcontroller control for surface temperature and shutdown timer.



black matt




white



gold metallic



Comfort NR-10



Dimensions (Height × Width × Depth) mm:

Comfort NR-10.1 – (910 × 435 × 145)

Comfort NR-10.2 – (910 × 535 × 145)

Nominal Power (at 220V~):

Comfort NR-10.1 – 129±5 W

Comfort NR-10.2 – 154±5 W

Available Colors:

- White
- Black matt
- Silver metallic
- Gold metallic

Control:

Touch microcontroller control for surface temperature and shutdown timer.

black matt



silver metallic




gold metallic





gold metallic

Comfort PR-8



Dimensions (Height × Width × Depth) mm:

Comfort PR-8.1 – (740 × 435 × 220)

Comfort PR-8.2 – (740 × 535 × 220)

Nominal Power (at 220V~):

Comfort PR-8.1 – 108±5 W

Comfort PR-8.2 – 130±5 W

Available Colors:

- White
- Black matt
- Silver metallic
- Gold metallic

Control:

Touch microcontroller control for surface temperature and shutdown timer.



black matt



white




silver metallic



black matt

Comfort PR-10



Dimensions (Height × Width × Depth) mm:

Comfort PR-10.1 – (910 × 435 × 220)

Comfort PR-10.2 – (910 × 535 × 220)

Nominal Power (at 220V~):

Comfort PR-10.1 – 132±5 W

Comfort PR-10.2 – 158±5 W

Available Colors:

- White
- Black matt
- Silver metallic
- Gold metallic

Control:

Touch microcontroller control for surface temperature and shutdown timer.



silver metallic



white



gold metallic

SKUs. Melody Series

Model	SKU *
Melody ER-M	ER-M.L.M.CPH
Melody ER-S	ER-S.L.M.CPH
Melody LR-M	LR-M.L.M.CPH
Melody LR-S	LR-S.L.M.CPH
Melody FR-S	FR-S.L.M.CPH
Melody TR-S	TR-S.L.M.CPH
Melody SR-S	SR-S.L.M.CPH
Melody WR-S	WR-S.M.CPH

* SKU – is the product code plus configuration code.

** SKU = Product code – model name (for example: ER-M) + configuration code – L.M.CPH (except for model WR-S).

*** Configuration code for model WR-S – M.CPH

Each character (letter) in the configuration code specifies a separate product option. Below are the meanings for each option that need clarification when ordering:

L = height code (see product card in the "Technical Data" table)

M = width code (see product card in the "Technical Data" table). For WR-S model, this is not the width code but the product width

P = L – left power cord position

P = R – right power cord position

C = W – product color: White (RAL 9016)

C = B – product color: Black matt

C = S – product color: Silver metallic

C = G – product color: Gold metallic

C = Bm – product color: Black moire

C = Gm – product color: Graphite moire

H = C – product comes with a cord for connection to the power grid

H = S – product is configured for concealed connection

Examples:

- If you need to order model ER-M from the Melody series, height 914 mm, width 400 mm, in white color, with right power cord connection:
The SKU will be: ER-M.2.4.WRC

- If you need to order model WR-S from the Melody series, width 910 mm, in black matt color, with concealed connection:
The SKU will be: WR-S.910.BLS

SKUs. Interio and Comfort Control Series

Model	Dimensions (H×W×D), mm	Power, W (at U=220V~)	SKU *
Interio LR.1 / LR.2	707 x 435 / 535 x 75	130 / 161	501P.M.C
Interio ER.1 / ER.2	820 x 435 / 535 x 75	133 / 164	511P.M.C
Interio BR.1 / BR.2	707 x 435 / 535 x 145	137 / 168	502P.M.C
Interio CR.1 / CR.2	820 x 435 / 535 x 145	140 / 171	512P.M.C
Interio HR.1 / HR.2	707 x 435 / 535 x 145	149 / 180	503P.M.C
Interio VR.1 / VR.2	820 x 435 / 535 x 145	147 / 178	513P.M.C
Comfort NR-8.1 / NR-8.2	740 x 435 / 535 x 145	104 / 125	412P.M.C
Comfort NR-10.1 / NR-10.2	910 x 435 / 535 x 145	129 / 154	422P.M.C
Comfort PR-8.1 / PR-8.2	740 x 435 / 535 x 220	108 / 130	413P.M.C
Comfort PR-10.1 / PR-10.2	910 x 435 / 535 x 220	132 / 158	423P.M.C

* SKU – is the product code plus configuration code: SKU = Product Code + P.M.C

Each character (letter) in the configuration code specifies a separate product option. Below are the meanings for each option that need clarification when ordering:

P = 1 – left power cord position

P = 2 – right power cord position

M = 1 – product width 435 mm

M = 2 – product width 535 mm

C = "" – if this value is missing, it means the product is painted in the base color – white gloss (RAL 9016)

C = b – product color: Black matt

C = s – product color: Silver metallic

C = g – product color: Gold metallic

C = bm – product color: Black moire

C = gm – product color: Graphite moire

Examples:

To order the Interio CR model in white color, with right power cord connection, and width 435 mm:

The SKU will be: 5122.1

To order the Comfort PR-10 model in silver metallic color, with left power cord connection, and width 535 mm:

The SKU will be: 4231.2.s
